

Sheet 1 of 2

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1176R1C1Serial No.
10/628,770

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Levine et al.Filing Date
28 Jul 2003Group
to be assigned

U.S. PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
ALH	↓	* 1 5,408,040	18.04.95	Grotendorst et al.			
		* 2 5,536,637	16.07.96	Jacobs, K.			
		* 3 5,585,087	17.12.96	Lustig et al			
		* 4 5,840,569		Hillman			
		* 5 6,100,060	08.08.00	Barnes et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation Yes No
ALH	↓	* 6 307,247	15.03.89	EPO			
		* 7 WO 02/088081	07.11.02	PCT			
		* 8 WO 89/06692	27.07.89	PCT			
		* 9 WO 95/17416	29.06.95	PCT			
		* 10 WO 98/21236	22.05.98	PCT			
		* 11 WO 98/25956	18.06.98	PCT			

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)


ALH	↓	* 12	Adams et al., "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence" <u>Nature</u> 377(6547 SUPPL):3-174 (1995)
		* 13	Adams, MD et al., "EST90040 Synovial membrane Homo sapiens cDNA 5' end" <u>Database EMBL-EMESTIB, Entry Hszz82583, Acc. no. AA377456</u> , April 21, 1992
		14	Alitalo and Schwab, "Oncogene amplification in tumor cells" <u>Advances in Cancer Research</u> 47:235-281 (1986)
		15	Altschul and Gish, "Local Alignment Statistics" <u>Methods in Enzymology</u> 266:460-480 (1996)
		* 16	Attisano et al., "TGF-beta receptors and actions" <u>Biochimica et Biophysica Acta</u> 1222(1):71-80 (May 26, 1994)
		17	Augenlicht, LH et al., "Low-level c-myc amplification in human colonic carcinoma cell lines and tumors: a frequent, p53-independent mutation associated with improved outcome in a randomized multi-institutional trial" <u>Cancer Research</u> 57(9):1769-1775 (May 1, 1997)
		18	Ausubel et al. <u>Current Protocols in Molecular Biology</u> , N.Y.:Green Publishing Associates and Wiley Interscience (1989)
		19	Babic AM et al., "CYR61, a product of a growth factor-inducible immediate early gene, promotes angiogenesis and tumor growth" <u>Proc. Natl. Acad. Sci. USA</u> 95(11):6355-6360 (May 26, 1998)
		* 20	Baker, N., "Embryonic and imaginal requirements for wingless, a segment-polarity gene in Drosophila" <u>Dev. Biol.</u> 125:96-108 (1988)
		* 21	Barford et al., "Cloning and expression of a human CDC42 GTPase-activating protein reveals a functional SH3-binding domain" <u>Journal of Biological Chemistry</u> 268(35):26059-26062 (Dec 15, 1993)
	↓	22	Baselga et al., "HER2 Overexpression and Paclitaxel Sensitivity in Breast Cancer: Therapeutic Implications" <u>Oncology</u> (Supplement No. 2) 11(3):43-48 (March 1997)

Examiner /Anne Holleran/ (09/28/2006)

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

USCOMM-DC 80-398.



Sheet 2 of 7

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P1176R1C1

Serial No.

10/628,770

LIST OF DISCLOSURES OF PRIOR ART

(Use several sheets if necessary)

Applicant

Levine et al.

Filing Date

28 Jul 2003

Group

to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

ALH

- 23 Baselga et al., "Phase II Study of Weekly Intravenous Recombinant Humanized Anti-p185^{HER2} Monoclonal Antibody in Patients With HER2/neu-Overexpressing Metastatic Breast Cancer" J. Clin. Oncol. 14(3):737-744 (Mar 1996)
- * 24 Beier et al., "MDB0332 Mouse brain, Stratagene Mus musculus cDNA 3' end similar to proto-oncogene (Wnt-5a) (human)" Database EMBL-EMEST19, Entry MM953, Acc. no. 874953, July 25, 1996
- * 25 Bennett et al., "Extracellular Domain-IgG Fusion Proteins for Three Human Natriuretic Peptide Receptors. Hormone Pharmacology and Application to Solid Phase Screening of Synthetic Peptide Antisera" The Journal of Biological Chemistry 266(34):23060-23067 (1991)
- * 26 Bishop, J., "Molecular themes in oncogenesis" Cell 64(2):235-248 (Jan 25, 1991)
- * 27 Bolivar, "Construction and characterization of new cloning vehicles. II. A multipurpose cloning system" Gene 2(2):95-113 (1997)
- 28 Boring et al., "Cancer Statistics, 1993" CA: A Cancer Journal for Clinicians 43(1):7-26 (Jan-Feb 1993)
- * 29 Bradbury et al., "Wnt-4 expression induces a pregnancy-like growth pattern in reconstituted mammary glands in virgin mice" Dev. Biol. 170:553-563 (1995)
- * 30 Bradley and Brown, "The proto-oncogene int-1 encodes a secreted protein associated with the extracellular matrix" EMBO Journal 9:1569-1575 (1990)
- * 31 Bradley, RS et al., "Expression of Wnt-1 in PC-12 cells results in modulation of plakoglobin and E-cadherin and increased cellular adhesion" Journal of Cell Biology 123(6, Pt.2):1857-1865 (December 1993)
- * 32 Brown et al., "A retrovirus vector expressing the putative mammary oncogene int-1 causes partial transformation of a mammary epithelial cell line" Cell 46(7):1001-1009 (Sep 26, 1986)
- * 33 Brown, "Characterization of the Functional gene and several processed pseudogenes in the human triosephosphate isomerase gene family" Mol Cell Biol 5(7):1694-1706 (July 1985)
- * 34 Cadigan and Nusse, "Wnt signaling: a common theme in animal development" Genes & Development 11(24):3286-3305 (Dec 15, 1997)
- * 35 Christiansen et al., "Murine Wnt-11 and Wnt-12 have temporally and spatially restricted expression patterns during embryonic development" Mech. Dev. 51(2-3):341-350 (1995)
- * 36 Cornelis et al., "Allele loss patterns on chromosome 17q in 109 breast carcinomas indicate at least two distinct target regions" Oncogene 8(3):781-785 (Mar 1993)
- * 37 Cropp et al., "Loss of heterozygosity on chromosomes 17 and 18 in breast carcinoma: two additional regions identified" Proc. Natl. Acad. Sci. USA 87(19):7737-7741 (Oct 1990)
- * 38 Darzynkiewicz et al., "Features of apoptotic cells measured by flow cytometry" Cytometry 13(8):795-808 (1992)
- * 39 Diatchenko et al., "Suppression subtractive hybridization: a method for generating differentially regulated or tissue-specific cDNA probes and libraries" Proc. Natl. Acad. Sci. USA 93:6025-6030 (1996)
- * 40 Didsbury et al., "rac, a novel ras-related family of proteins that are botulinum toxin substrates" Journal of Biological Chemistry 264(28):16378-16382 (Oct 5, 1989)
- * 41 Dzierzak and Medvinsky, "Mouse embryonic hematopoiesis" Trends Genet. 11:359-366 (1995)
- * 42 Fendly, B.M. et al., "Characterization of Murine Monoclonal Antibodies Reactive to Either the Human Epidermal Growth Factor Receptor or HER2/neu Gene Product" Cancer Research 50:1550-1558 (Mar 1, 1990)

Examiner

/Anne Holleran/ (09/28/2006)

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

USCOMM-DC 80-398.



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1176R1C1Serial No.
10/628,770

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Levine et al.Filing Date
28 Jul 2003Group
to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

ALL

- * 43 Fracker PJ, et al., "Protein and cell membrane iodinations with a sparingly soluble chloroamide, 1,3,4,6-tetrachloro-3a,6a-dephrenylglycoluril" Biochem Biophys Res Commun 80(4):849-857 (February 28, 1978)
- * 44 Gavin et al., "Expression of multiple novel Wnt-1/int-1-related genes during fetal and adult mouse development" Genes Dev. 4:2319-2332 (1990)
- * 45 Glinka et al., "Dickkopf-1 is a Member of a New Family of Secreted Proteins and Functions in Head Induction." Nature, 391(6665):357-362 (Jan 22, 1998)
- * 46 Godowski et al., "Characterization of the human growth hormone receptor gene and demonstration of a partial gene deletion in two patients with Laron-type dwarfism" Proc. Natl. Acad. Sci. USA 86:8083-8087 (1989)
- * 47 Green, "Phrap" University of Washington, Seattle, Washington: <http://bozeman.mbr.washington.edu/phrap.htm>
- * 48 Haataja et al., "Characterization of RAC3, a novel member of the Rho family" Journal of Biological Chemistry 272(33):20384-20388 (Aug 15, 1997)
- * 49 Hashimoto et al., "Expression of the Elml gene, a novel gene of the CCN (connective tissue growth factor, Cyr61/Cef10, and neuroblastoma overexpressed gene) family, suppresses in vivo tumor growth and metastasis of K-1735 murine melanoma cells" Journal of Experimental Medicine 187(3):289-296 (Feb 2, 1998)
- * 50 Herman and Horvitz, "The *Caenorhabditis elegans* gene *lin-44* controls the polarity of asymmetric cell divisions" Development 120:1035-1047 (1994)
- * 51 Hiller et al. (GenBank EST accession no. AA133248) (Nov 1996)
- * 52 Hiller et al., "z117h12.r1 Soares pregnant uterus NbHPU Homosapiens cDiens cDNA clone 502247 5' [C [C [C' " Database EMBL-EMEST15, Entry Hsaa33248, Acc. no. AA133248, Nov. 27, 1996.
- * 53 Hiller, "yb42e03.r1 Homo sapiens cDNA clone 73852 5'" Database EMBL-EMEST10, Entry Hs01627, Acc. no. T55016, Feb. 6, 1995.
- * 54 Holland et al., "Gene duplications and the origins of vertebrate development" Development - Supplement pps. 125-133 (1994)
- 55 Holmes et al., "Structure and Functional Expression of a Human Interleukin-8 Receptor" Science 253(5025):1278-1280 (1991)
- 56 Hunter, T., "Cooperation between oncogenes" Cell 64(2):249-270 (Jan 25, 1991)
- 57 Hynes and Stern., "The Biology of erbB-2/neu/HER-2 and Its Role in Cancer." Biochimica et Biophysica Acta 1198(2-3):165-184 (Dec 30, 1994)
- * 58 Jue et al., "The mouse Wnt-1 gene can act via a paracrine mechanism in transformation of mammary epithelial cells" Molecular & Cellular Biology 12(1):321-328 (Jan 1992)
- * 59 Kanatsu and Nishikawa, "In vitro analysis of epiblast tissue potency for hematopoietic cell differentiation" Development 122:823-830 (1996)
- 60 Kay et al., "Xenopus laevis: Practical uses in Cell and Molecular Biology" Methods in Cell Biology 36. (1991)
- 61 Kearney JF et al, "A new mouse myeloma cell line that has lost immunoglobulin expression but permits the construction of antibody-secreting hybrid cell lines" J. Immunol 123(4):1548-1550 (October 1979)
- * 62 Kim et al., "Identification of a family of low-affinity insulin-like growth factor binding proteins (IGFBPs): Characterization of connective tissue growth factor as a member of the IGFBP superfamily" Proc. Natl. Acad. Sci. USA 94(24):12981-12986 (Nov 25, 1997)

Examiner

/Anne Holleran/ (09/28/2006)

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1176R1C1Serial No.
10/628,770

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Levine et al.Filing Date
28 Jul 2003Group
to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)


ALH	• 63	Klein et al., "Selection for Genes Encoding Secreted Proteins and Receptors" <u>Proc. Natl. Acad. Sci. USA</u> 93(14):7108-7113 (1996)
	• 64	Klingensmith and Nusse, "Signaling by wingless in Drosophila" <u>Dev. Biol.</u> 166:396-414 (1994)
	• 65	Lee et al., "Insertional mutagenesis identifies a member of the Wnt gene family as a candidate oncogene in the mammary epithelium of int-2/Pgf-3 transgenic mice" <u>Proc. Natl. Acad. Sci.</u> 92(6):2268-2272 (1995)
	• 66	Lu and Gillett, "An Optimized Protocol for In Situ Hybridization Using PCR-Generated ³² P-Labeled Riboprobes." <u>Cell Vision</u> 1(2):169-176 (1994)
	• 67	Maquat LE et al., "Human triosephosphate isomerase cDNA and protein structure. Studies of triosephosphate isomerase deficiency in man" <u>J Biol Chem</u> 260(6):3748-3753 (March 25, 1985)
	• 68	Marra et al., "md87a11.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone 375356 5'" <u>Database EMBL-MM71928</u> , Entry MM71928, Acc. no. W64719, <u>Sum.</u> 10, 1996.
	• 69	Marra et al., "me6je12.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone 400270 5'" <u>Database EMBL-EMEST19</u> , Entry MM22812, Acc. no. W77228, <u>Sum.</u> 20, 1996.
	• 70	Marra M et al., "va79b05.r1 Soares mouse NML Mus musculus cDNA clone 737553 5'" <u>Database EMBL-EMEST18</u> , Entry MM1181119, Acc. no. AA277108, <u>Apr.</u> 1, 1997.
	• 71	Marra M et al., "mw97e08.r1 Soares mouse NML Mus musculus cDNA clone 678662 5'" <u>Database EMBL-EMEST18</u> , Entry MM1155850, Acc. no. AA238081, <u>Mar.</u> 3, 1997.
	• 72	Marra M et al., "ug99b06.r1 Soares mouse hypothalamus NMHy Mus musculus cDNA clone 1616531 5'", mRNA sequence" <u>Database EMBL-EMEST5</u> , Entry/Acc. no. Aa981401, <u>May</u> 27, 1998.
	• 73	Marra M et al., "vc34c10.r1 Barstead MPLRBI Mus musculus cDNA clone 776466 5'" <u>Database EMBL-EMEST18</u> , Entry MM1182282, Acc. no. AA278092, <u>Apr.</u> 1, 1997.
	• 74	Marra M et al., "vu05a03.r1 Soares mouse mammary gland NbMMg Mus musculus cDNA clone 1179724 5' similar to SW:G25B human P21181 G25K GTP-binding protein, brain isoform" <u>Database EMBL-EMEST2</u> , Entry/Acc. no. Aa672834, <u>Nov.</u> 26, 1997.
	• 75	Marra, M et al., "mg36a12.r1 Soares mouse embryo NbME13.5 14.5 Mus Musculus cDNA clone 425854 5'" <u>Database EMBL-EMEST19</u> , Entry MMA00708, Acc. no. AA000708, <u>Jul.</u> 18, 1996.
	• 76	Marra, M et al., "mi41b01.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone 466057 5'" <u>Database EMBL-EMEST19</u> , Entry mma14677, Acc. no. AA034677 (es), <u>Aug.</u> 23, 1996
	• 77	Marra, M et al., "mj41h08.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone 478719 5'" <u>Database EMBL-EMEST19</u> , Entry MMAA51212, Acc. no. AA051212, <u>Sep.</u> 9, 1996.
	• 78	Martinerie C, et al., "Physical mapping of human loci homologous to the chicken nov proto-oncogene" <u>Oncogene</u> 7(12):2529-2534 (December 1992)
	• 79	Martinerie et al., "Regulation of nov by Wt1: a potential role for nov in nephrogenesis" <u>Oncogene</u> 12(7):1479-1492 (Apr 4, 1996)
	• 80	Martinerie et al., "Structural analysis of the human nov proto-oncogene and expression in Wilms tumors" <u>Oncogene</u> 9(9):2729-2732 (Sep 1994)
	• 81	McMahon and Bradley, "The Wnt-1 (int-1) proto-oncogene is required for development of a large region of the mouse brain" <u>Cell</u> 62:1073-1085 (1990)
↓	• 82	McMahon, A., "The Wnt Family of Developmental Regulators" <u>Trends in Genetics</u> 8(7):236-242 (1992)

Examiner

/Anne Holleran/ (09/28/2006)

Data Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 5 of 7

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1176R1C1Serial No.
10/628,770

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Levine et al.Filing Date
28 Jul 2003Group
to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

ALH	83	Meese, "Molecular mapping of the oncogene MYB and rearrangements in malignant melanoma" <u>Genes Chromosomes Cancer</u> 1(1):88-94 (September 1989)
	* 84	Moll et al., "The murine rac1 gene: cDNA cloning, tissue distribution and regulated expression of rac1 mRNA by disassembly of actin microfilaments" <u>Oncogene</u> 6(5):863-866 (May 1991)
	* 85	Morata and Lawrence, "The development of wingless, a homeotic mutation of Drosophila" <u>Dev. Biol.</u> 56:227-240 (1977)
	86	Nieuwkoop et al., "Normal Table of Xenopus laevis: (Baudin)", Amsterdam: North - Holland (1967)
	* 87	Nusse and Varmus, "Many tumors induced by the mouse mammary tumor virus contain a provirus integrated in the same region of the host genome" <u>Cell</u> 31:99-109 (1982)
	* 88	Nusse and Varmus, "Wnt genes" <u>Cell</u> 69:1073-1087 (1992)
	* 89	O'Reilly et al., <u>Baculovirus Expression Vectors: A Laboratory Manual</u> , Oxford:Oxford University Press (1994)
	* 90	Oemar and Luscher, "Connective tissue growth factor. Friend or foe?" <u>Arteriosclerosis, Thrombosis & Vascular Biology</u> 17(8):1483-1489 (Aug 1997)
	* 91	Olson and Papkoff, "Regulated expression of Wnt Family Members during Proliferation of C57mg Mammary Cells" <u>Cell Growth & Differentiation</u> 5(2):197-206 (Feb 1994)
	* 92	Papkoff and Schryver, "Secreted int-1 protein is associated with the cell surface" <u>Mole. Cell. Biol.</u> 10:2723-2730 (1990)
	* 93	Parr and McMahon, "Dorsalizing signal Wnt-7a required for normal polarity of D-V and A-P axes of mouse limb" <u>Nature</u> 374:350-353 (1995)
	* 94	Pennica D, et al., "WISP genes are members of the connective tissue growth factor family that are up-regulated in wnt-1-transformed cells and aberrantly expressed in human colon tumors" <u>Proc. Natl. Acad. Sci. USA</u> 95(25):14717-14722 (December 8, 1998)
	* 95	Pickler et al., "Control of lymphocyte recirculation in man. I. Differential regulation of the peripheral lymph node homing receptor L-selectin on T cells during the virgin to memory cell transition" <u>Journal of Immunology</u> 150(3):1105-1121 (Feb 1, 1993)
	96	Possee R.D. et al., "Nucleotide sequence of the Autographa californica nuclear polyhedrosis 9.4 kbp EcoRI-I and -R(polyhedrin gene) region" <u>Virology</u> 185(1):229-241 (1991)
	97	Price et al., "Tumorigenicity and metastasis of human breast carcinoma cell lines in nude mice" <u>Cancer Research</u> 50(3):717-721 (Feb 1, 1990)
	* 98	Ravdin and Chamness, "The c-erbB-2 proto-oncogene as a prognostic and predictive marker in breast cancer: a paradigm for the development of other macromolecular markers--a review" <u>Gene</u> 159(1):19-27 (Jun 14, 1995)
	* 99	Rijsewijk et al., "The Drosophila homolog of the mouse mammary oncogene int-1 is identical to the segment polarity gene wingless" <u>Cell</u> 50:649-657 (1987)
	*100	Ruppert et al., "Cloning and Expression of Human TAF _{II} 250: a TBP-associated Factor Implicated in Cell-cycle Regulation" <u>Nature</u> 362:175-179 (1993)
	*101	Sambrook et al., "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press, New York (1989)
↓	102	Schwab and Amler, "Amplification of cellular oncogenes: a predictor of clinical outcome in human cancer" <u>Genes, Chromosomes & Cancer</u> 1(3):181-193 (Jan 1990)

Examiner /Anne Holleran/ (09/28/2006)

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

USCOMM-DC 80-398.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1176R1C1Serial No.
10/628,770LIST OF DISCLOSURES ~~MADE BY APPLICANT~~
(Use several sheets if necessary)Applicant
Levine et al.Filing Date
28 Jul 2003Group
to be assigned

OTHER DISCLOSURES (including Author, Title, Date, Pertinent Pages, etc.)

- | ALH | | |
|------|--|--|
| *103 | Shirsat et al., "A member of the ras gene superfamily is expressed specifically in T, B and myeloid hemopoietic cells" <u>Oncogene</u> 5(5):769-772 (May 1990) | |
| *104 | Sigel M., et al., "Production of Antibodies by Inoculation into Lymph Nodes" <u>Methods in Enzymology</u> , New York: Academic Press Vol. 93 (1983) | |
| 105 | Slamon et al., "Human Breast Cancer: Correlation of Relapse and Survival with Amplification of the HER-2/neu Oncogene" <u>Science</u> 235:177-182 (Jan 9, 1987) | |
| 106 | Slamon et al., "Studies of the HER-2/neu Proto-Oncogene in Human Breast and Ovarian Cancer" <u>Science</u> 244:707-712 (May 12, 1989) | |
| 107 | Sokol S, et al., "Injected Wnt RNA induces a complete body axis in <i>Xenopus</i> embryos" <u>Cell</u> 67(4):741-752 (November 15, 1991) | |
| *108 | Sompayrac et al., "Efficient infection of monkey cells with DNA of simian virus 40" <u>Proc. Natl. Acad. Sci. USA</u> 78(12):7575-7578 (Dec 1981) | |
| *109 | Stark et al., "Epithelial transformation of metanephric mesenchyme in the developing kidney regulated by Wnt-4" <u>Nature</u> 372:679-683 (1994) | |
| *110 | Strausberg, R., "nn03e01.s1 NCI_CGAP_Pr4.1 Homo sapiens CDNA clone IMAGE:1076664 similar to TR:g984956 G984956 connective tissue growth factor" <u>Database EMBL-EMEST1</u> , Entry Aa592984, Acc. no. AA592984, Sep 17, 1997. | |
| *111 | Suva et al., "A parathyroid hormone-related protein implicated in malignant hypercalcemia: cloning and expression" <u>Science</u> 237(4817):893-896 (Aug. 1987) | |
| *112 | Suva, L.J. et al., "A Parathyroid Hormone-Related Protein Implicated in Malignant Hypercalcemia: Cloning and Expression" <u>Science</u> 237:893-896 (1987) | |
| *113 | Takada et al., "Wnt-3a regulates somite and tailbud formation in the mouse embryo" <u>Genes Dev.</u> 8:174-189 (1994) | |
| 114 | Takahashi, "Mapping of the MYC gene to band 8q24.12--q24.13 by R-banding and distal to fra(8)(q24.11), FRA8E, by fluorescence in situ hybridization" <u>Cytogenet Cell Genet</u> 57(2):109-111 (1991) | |
| *115 | Thimmappaya et al., "Adenovirus VAI RNA is required for efficient translation of viral mRNAs at late times after infection" <u>Cell</u> 31(3 Pt 2):543-551 (Dec 1982) | |
| *116 | Thomas and Cappechi, "Targeted disruption of the murine int-1 proto-oncogene resulting in severe abnormalities in midbrain and cerebellar development" <u>Nature</u> 346:847-850 (1990) | |
| *117 | Tubby, B., "homo sapiens DNA sequence from PAC 142L7 on chromosome 6q21. Contains a ... Connective Tissue growth factor" <u>Database EMBL-EMHUM1</u> , Entry Hal4217, Acc. no. Z99289, May 30, 1998, Oct 25, 1998 | |
| *118 | Van't Veer, "molecular cloning and chromosomal assignment of the human homolog of int-1, a mouse gene implicated in mammary tumorigenesis" <u>Mol Cell Biol</u> 4(11):2532-2534 (November 1984) | |
| *119 | Vant Veer et al., "Molecular cloning and chromosomal assignment of the human homolog of int-1, a mouse gene implicated in mammary tumorigenesis" <u>Mole. Cell. Biol.</u> 4:2532-2534 (1984) | |
| *120 | Wong et al., "Differential transformation of mammary epithelial cells by Wnt genes" <u>Molecular & Cellular Biology</u> 14(9):6278-6286 (Sep 1994) | |
| *121 | Yamanaka et al., "Inhibition of insulin receptor activation by insulin-like growth factor binding proteins" <u>Journal of Biological Chemistry</u> 272(49):30729-30734 (Dec 5, 1997) | |
| *122 | Zhang et al., "Relative malignant potential of human breast carcinoma cell lines established from pleural effusions and a brain metastasis" <u>Invasion Metastasis</u> 11(4):204-215 (1991) | |

Examiner

/Anne Holleran/ (09/28/2006)

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

